



**Klera Free Standing**  
Digital Signage Kiosk

# Klera Free Standing Digital Signage Kiosk

7/24  
USE

REMOTE CONTENT  
MANAGEMENT

BUILT IN WIFI


4mm  
EXTRA CLEAR  
TEMPERED




**32"** Klera  
Free Standing  
T32KL Digital Signage Kiosk

**43"** Klera  
Free Standing  
T43KL Digital Signage Kiosk

T32KL



T43KL



# Technical Specifications

MODEL NAME	Klera	Klera
MODEL NO	T32KL	T43KL

Panel	32"	43"
Type	60Hz D-LED BLU	EDGE LED BLU
Resolution	1920x1080 (16:9)	UHD 3840x2160 (16:9)
Pixel Pitch (mm)	0.12125(H) x 0.36375(V)	0.2451(H) x 0.2451(V)
Active Display Area	698.4(H) x 392.85(V)	941.184(H) x 529.416(V)
Brightness	400nit	500nit
Contrast Ratio	5000:1	4000:1
Viewing Angle	178:178	178:178
Response Time	8ms	8ms(Typ.)
Operation Hour	24/7	24/7

Sound		
Speaker Type	Built in Speaker(10w x 1)	Built in Speaker(10w + 10w))

Connectivity INPUT		
RGB	Analog D-SUB, DVI-D(HDMI Common)	DVI-D Display Port 1.2 (1)
VIDEO	HDMI1 Component(CVBS Common)	HDMI 2.0 (2)
HDCP	-	HDCP2
AUDIO	Stereo mini jack	Stereo mini jack, DVI, HDMI
USB	USB 2.0 X 1	USB 2.0 X 2

Connectivity OUTPUT		
RGB	-	HDMI 2.0 (Loop-out)
VIDEO	-	-
AUDIO	Stereo mini jack	Stereo mini jack
USB	-	-
EXTERNAL CONTROL	RS232C(in/out) thru stereo jack, RJ45	RS232C(in/out) thru stereo jack, RJ45
EXTERNAL SENSOR	IR, Ambient Light	IR

Operation		
Operating Temperature	0C~ 40C	0C~ 40C
Humidity	10-80%	10-80%

Mechanical Spec		
Dimension without base(mm)	600 x 95 x 1850	700 x 96 x 1850
Dimension with base(mm)	600 x 400 x 1850	700 x 500 x 1850
Weight	46	58
Protection Glass	4mm tempered extra clear glass	4mm tempered extra clear glass
Stand Type	Free Standing	Free Standing

